DIVISION OF MENTAL HEALTH, DEVELOPMENTAL DISABILITIES, AND SUBSTANCE ABUSE SERVICES




Mental Health, Substance Use, and Aging: What the Numbers Tell Us

Debbie A. Webster, MS Mental Health Program Manager

June 4, 2015



NC Population Projections	Year 2010	Year 2020	Year 2030	% Population Growth 2010 to 2030	
Total NC Population	9,574,477	10,558,749	11,558,205	17%	
Age					
55 - 64	1,149,681	1,351,791	1,376,042	17%	
65 - 74	703,965	1,056131	1,252,828	44%	
75 -84	361,108	528,492	758,911	52%	
85 - 94	137,982	171,689	236,982	42%	
95 -100+	11,069	18,404	24,237	54%	
Total Age 55+ Population	2,393,805	3,126,507	3,681,000	35%	



North Carolina - 14%

Range: 8%-28%


to or population of and over, 2015

10% or less (4)

11% to 20% (74)

21% to 30% (22)

% of population 65 and over, 2033



Counties with more people 60+ than 0-17, 2013



Counties with more 60+ than 0-17 (60)

Counties with more 0-17 than 60+ (40)

Counties with more people 60+ than 0-1/, 2025



Counties with more 60+ than 0-17 (90)

Counties with more 0-17 than 60+ (10)



Depression and Older Adults

Statistics:

Living in Community - 1%-5%*

Hospitalized - 12%

Receiving Home Care - 14%

Nursing Home - 29% - 54%

Fiske, A., Wetherell, J. L., & Gatz, M. (2009). Depression in Older Adults. *Annual Review of Clinical Psychology*, *5*, 363–389. doi:10.1146/annurev.clinpsy.032408.153621



2014 Veteran Aging Statistics

Total Veteran = 21,999,108

Age 60+ = 12,034,845 - 55%

Total NC Veterans = 775,020


Age 60 + = 388,394 - 50%

Males Age 60 + = 372,126 - 54%

Females Age 60+ = 16,268 - 2%

Total Living Veterans by Age and State. (2014, September 30). Retrieved from http://www.va.gov/vetdata/Veteran_Population.asp

for Ages 10 or Older in North Carolina, 2012



Note: The number of suicides for females ages 10-14 and females ages 85+ was too small to support a rate calculation.

Table 15: Age Group by Sex of Suicide Victims for Ages 10 or Older in North Carolina, 2012									
	Male			Female					
	Number	%	Rate	Number	%	Rate			
Age (Years)									
10-14	12	1.3	3.6	3	0.9	*			
15-19	29	3.1	8.7	11	3.3	3.5			
20-24	84	8.9	23.4	12	3.6	3.5			
25-34	150	15.9	23.9	51	15.3	8.0			
35-44	126	13.4	19.5	54	16.2	8.1			
45-54	209	22.2	31.4	98	29.3	14.0			
55-64	154	16.3	27.1	67	20.1	10.6			
65-74	100	10.6	27.6	27	8.1	6.4			
75-84	50	5.3	29.8	10	3.0	4.2			
85 +	29	3.1	58.3	1	0.3	*			
Total Deaths	943	100	23.0	334	100	7.6			

Sex and age-specific crude rate per 100,000 N.C. population

^{*} The number of deaths was too small to support calculation of a rate.



Suicide and Older Adults

- The elderly (ages 65 and older) made up 13.75% of the population; accounted for 16.37% of all suicides
- The rate of suicides for the elderly for 2012 was 15.4 per 100,000.
- There was about one elderly suicide every 80 minutes.
- There were about 18.2 suicides each day resulting in 6,648 suicides in among those 65 and older

^{*}American Association of Suicidology. (Suicide and Elderly, 2012). Elderly Suicide Fact Sheet Based on 2012 Data. [PDF]. Retrieved from http://www.suicidology.org/resources/facts-statistics



Suicide and Older Adults

- Elderly white men were at the highest risk with a rate of approximately 32.24 suicides per 100,000 each year.
- 83.6% of elderly suicides were male; the rate of male suicides in late life was about 5.25 times greater than female suicides.
- Firearms were the most common means (72.1%) used for completing suicide among the elderly.

^{*}American Association of Suicidology. (Suicide and Elderly, 2012). Elderly Suicide Fact Sheet Based on 2012 Data. [PDF]. Retrieved from http://www.suicidology.org/resources/facts-statistics



Substance Use and Older Adults

"The 'baby boomer' cohort - people born from 1946 to 1964 - is the first in U.S. history with a majority having used illicit drugs sometime in their lives."

Joseph C. Gfroerer, Director of the Division of Population Surveys at SAMHSA's Office of Applied Studies (OAS).

*

Substance Use and Older Adults

- Estimated 4.8 million adults aged 50 + used illicit drugs 2012 - 5.2% of all adults in age group.
- Marijuana most commonly, nonmedical use of prescription drugs second.
- Prevalence of illicit drug use higher adults aged 50 to 59 than those aged 60 and older.
- Alcohol most common primary substance of abuse among older adult admitted for treatment.

^{*}Reardon, Christina. (January/February 2012 Issue). The Changing Face of Older Adult Substance Abuse. Retrieved from http://www.socialworktoday.com/archive/012312p8.shtml.



Substance Use and Older Adults

First-time substance abuse treatment admissions aged 55+:

- Admissions self-identified heroin 7.2% in 1992 to 16% in 2008
- Admissions self-identified cocaine from 2.8% to 11.4% *



References

Slide 2: Office of State Budget and Management. Facts and Figures. Retrieved from

http://www.osbm.state.nc.us/ncosbm/facts and figures/socioeconomic data/p opulation estimates/county estimates.shtm.

Slide 3 - 6: Reddy, Swarna. (December 2014). Aging Profile North Carolina. [PDF]. Retrieved from http://www.ncdhhs.gov/aging/demo.htm.

Slide 9 - 10: Division of Public Health. Injury and Violence Prevention Branch. Violent Death Reporting System Annual report 2012. [PDF]. Retrieved from www.injuryfreenc.ncdhhs.gov/DataSurveillance/VDRS/2012/2012 NC.



Contact Information

Debbie A. Webster, MS

<u>Debbie.Webster@dhhs.nc.gov</u>

(919) 715-2373