

NORTH CAROLINA  
**CHILD HEALTH**  
Report Card  
**2018**

Special Focus: Financial Security, Opportunity, and Health

**Join the Conversation**



**#ChildHealthNC**

**NC  
Child**  
[www.ncchild.org](http://www.ncchild.org)

A blue logo icon for NCIOM, featuring a stylized silhouette of a person's head and shoulders with three small circles above it, suggesting a family or community.  
**NCIOM**  
[www.nciom.org](http://www.nciom.org)

# DEMOGRAPHICS



THERE WERE **120,765** live births & **2,296,894** children under age 18 **IN 2016**

	Current	Base	African American or Black	American Indian	Asian	Hispanic or Latinx	Other	White
Number of babies born (live births)	2016 120,765		28,406	NA	NA	18,355	7,179	66,825
Percent of live births by race and ethnicity	2016 100%		23.5%	NA	NA	15.2%	5.9%	55.3%
Percent of total children under age 18 by race and ethnicity	2016 100%		22.5%	1.1% <sup>†</sup>	2.9%	15.6%	4.9% <sup>§</sup>	52.7%
Percent of children under age 5 (as a percent of race/ethnicity total)	2016 26.1%	2012 26.9%	24.5%	24.4% <sup>†</sup>	26.3%	31.6%	28.0% <sup>§</sup>	25.0%
Percent of children in excellent or very good health	2016 89.6%	2011-12 84.7%	84.4%	NA	NA	88.4%	85.0%	92.9%

NOTE: May not add to 100% due to rounding

## KEY

NA | Data are not available    ‡ | Asian includes Hawaiian/Pacific Islander    \* | Race categories include Hispanic  
 -- | Data suppressed    § | Other includes Multi-Racial and Two or More Races    † | American Indian includes Native Alaskan

**Grades and Change Over Time:** Grades are assigned by a panel of health experts to bring attention to the current status of North Carolina children in salient measures of health and well-being. Grades are subjective measures of how well children in North Carolina are faring in a particular area, and are not meant to judge the performance of state agency or agencies providing data or services. Please note that several agencies have made a great deal of progress in recent years, which may not be reflected in these grades.


Percent changes have not been given for population count data involving small numbers of cases. Grades and trends are based on North Carolina's performance year-to-year, disparities by race/ethnicity, and what level of child health and safety North Carolina should aspire to, regardless of how we compare nationally.

Data sources and additional references can be found online at: [www.nciom.org](http://www.nciom.org) or [www.ncchild.org](http://www.ncchild.org)


# FINANCIAL SECURITY, OPPORTUNITY, AND HEALTH

Family financial security is one of the most impactful determinants of children's health, and children who live in poverty, particularly during early childhood, are at risk of poor health outcomes throughout their lives.<sup>1</sup> Children from low-income families fare worse in almost every indicator of health, including birth outcomes, access to care, health-risk behaviors, and mortality. These children are also often exposed to high levels of toxic stress, which can have a negative impact on cognitive development and learning, and can contribute to behavioral, social, emotional, and health problems later in life. Children living in financially secure families are more likely to achieve educational success and grow to be healthy, self-sufficient adults.

**Most kids in North Carolina are in EXCELLENT or VERY GOOD HEALTH, but this varies by income level**




OF CHILDREN IN **NON-LOW-INCOME** HOMES ARE HEALTHY



OF CHILDREN IN **LOW-INCOME** FAMILIES ARE HEALTHY

Unfortunately, not all of North Carolina's kids have the benefits that come from living in financially secure families. Almost half of North Carolina's children live in poor or low-income households (defined as income less than 200% federal poverty level), and one-third live in households that spend more than 30% of income on housing. In addition, 14% of children live in high-poverty neighborhoods; these children are more likely to be exposed to neighborhood violence and crime.

There are many opportunities for North Carolina stakeholders to work to reduce poverty, address the structural barriers that serve to keep families poor, and ensure that all of our state's families are financially secure. Stakeholders can enhance financial security for families through programs and policies that promote job creation, improve education, and examine the impact of tax and wage policies. Together we can identify evidence-based solutions to improve the financial security of North Carolina's families and improve opportunities and health outcomes for our state's children.



# HEALTHY BIRTHS

## GRADE



### Preconception & Maternal Health & Support

	Current	Base	Change Over Time	African American or Black	American Indian	Asian	Hispanic or Latinx	Other	White
Women aged 18-44 with health insurance coverage	<sup>2015</sup> 80.6%	<sup>2011</sup> 73.6%	9.5%	88.6%	--	NA	31.4%	90.4%	89.2%
Pregnancies that are intended	57.4%	57.3%	0.2%	41.3%	NA	NA	60.6%	60.1%	62.2%
Babies who are born to women who smoke	<sup>2016</sup> 8.9%	<sup>2012</sup> 10.6%	-16.0%	8.5%	22.7%	NA	1.5%	1.3%	11.4%
Women who receive early prenatal care	69.0%	71.3%	-3.2%	61.4%	61.8%	NA	58.0%	67.3%	75.6%
Pregnancy-related deaths per 100,000 live births (Women who die during pregnancy or shortly after childbirth)	<sup>2009-13</sup> 18.1	<sup>2004-08</sup> 16.1	12.4%	--	--	--	--	--	--



### Birth Outcomes

Infant mortality rate per 1,000 live births	<sup>2016</sup> 7.2	<sup>2012</sup> 7.4	-2.7%	13.4	7.6	NA	6.0	6.2	5.0
Babies who are born before 37 weeks of pregnancy	10.4%	11.5%	-9.6%	13.8%	13.1%	NA	9.0%	8.8%	9.4%
Babies who are born at a low birthweight (<2500 g)	<sup>2016</sup> 9.2%	<sup>2012</sup> 8.8%	4.5%	14.1%	12.6%	NA	7.4%	9.2%	7.6%



### Postpartum Health & Breastfeeding

Women who receive a postpartum checkup	<sup>2015</sup> 89.6%	<sup>2012</sup> 91.5%	-2.1%	85.8%	NA	NA	80.1%	--	93.2%
Babies who are breastfed exclusively for at least 6 months	<sup>2015-16</sup> 26.1%	<sup>2012-13</sup> 20.7%	26.1%	NA	NA	NA	NA	NA	NA



### Teen Births

Births to teen girls ages 15-19 (per 1,000)	<sup>2016</sup> 21.8	<sup>2012</sup> 31.8	-31.4%	27.5	43.6	NA	39.6	9.7	15.5
Births to girls ages 15-19 that are repeat	22.0%	23.3%	-5.6%	22.4%	NA	NA	24.6%	23.3%	20.0%

## KEY

NA | Data are not available  
-- | Data suppressed

‡ | Asian includes Hawaiian/Pacific Islander  
§ | Other includes Multi-Racial and Two or More Races

\* | Race categories include Hispanic  
† | American Indian includes Native Alaskan

# HEALTHY BIRTHS





Successful policies, including increased access to family planning services and sexual education programs, have contributed to a 31% decrease in births to teen girls ages 15-19 between 2016 and 2012 (21.8 live births per 1,000 in 2016 compared to 31.8 per 1,000 in 2012). Teen girls who have babies are more likely to live in poverty than their peers who delay childbearing,<sup>2</sup> and are also less likely than other mothers to have received early prenatal care.<sup>3</sup> Unfortunately, while teen birth rates have declined overall, significant racial disparities persist. African American teens in North Carolina are nearly twice as likely and American Indian and Hispanic/LatinX teens almost three times as likely as their white peers to give birth.



- Four in five women of childbearing age (83.1%) have health insurance coverage, making them more likely to access early prenatal care and health screenings that can improve outcomes for mothers and babies.
- Despite improvements in health insurance coverage, nearly one-third (31%) of women do not receive the early prenatal care that promotes healthy pregnancies and deliveries. Early prenatal care and continued care throughout pregnancy can help prevent babies born at low birth weight and other health complications.<sup>4</sup>



# ACCESS TO CARE

GRADE		Current	Base	Change Over Time	African American or Black	American Indian	Asian	Hispanic or Latinx	Other	White
	<b>Insurance Coverage</b>									
	Children with health insurance coverage	<sup>2016</sup> 95.5%	<sup>2012</sup> 92.4%	3.4%	96.9%*	92.7%*†	93.6%*	89.1%	93.1%*§	96.8%
	Low income (<200% FPL) children without health insurance coverage	5.6%	9.7%	-42.8%	NA	NA	NA	NA	NA	NA
	Children covered by public health insurance	43.5%	41.6%	4.6%	NA	NA	NA	NA	NA	NA
	Parents without health insurance coverage*	<sup>2015</sup> 15.3%	<sup>2011</sup> 20.6%	-25.7%	13.7%	21.1%†	10.1%‡	53.7%	15.5%§	8.7%
	<b>Oral Health</b>									
	Kindergarten students with untreated tooth decay	<sup>2016</sup> 15.0%	<sup>2010</sup> 15.0%	0.0%	18.0%	24.0%	15.7%‡	15.0%	13.0%§	13.0%
	Children with Medicaid who use dental services	<sup>FY 2016</sup> 48.7%	<sup>FY 2012</sup> 47.2%	3.2%	NA	NA	NA	NA	NA	NA
	<b>School Health</b>									
	School nurse ratio	<sup>SY 2016-17</sup> 1:1,072	<sup>SY 2012-13</sup> 1:1,177	-8.9%	NA	NA	NA	NA	NA	NA
	School counselor ratio	<sup>SY 2016-17</sup> 1:384	<sup>SY 2013-14</sup> 1:379	1.3%	NA	NA	NA	NA	NA	NA
	<b>Health Services Utilizations &amp; Immunization</b>									
	Children with Medicaid who received a well-child checkup in the past year	<sup>FY 2016</sup> 57.0%	<sup>FY 2012</sup> 57.1%	-0.2%	NA	NA	NA	NA	NA	NA
	Children ages 19-35 months with appropriate immunizations	<sup>2016</sup> 79.7%	<sup>2013</sup> 76.6%	4.0%	75.8%	NA	NA	74.2%	NA	85.2%
	Children with appropriate immunizations at school entry	<sup>SY 2015-16</sup> 96.3%	<sup>SY 2011-12</sup> 96.4%	-0.1%	NA	NA	NA	NA	NA	NA
	Adolescents ages 13-17 who have received 1 or more HPV vaccinations	<sup>2016</sup> 57.5%	<sup>2012</sup> 53.3%	7.9%	62.5%	NA	NA	69.8%	NA	50.6%

**KEY** NA | Data are not available ‡ | Asian includes Hawaiian/Pacific Islander \* | Race categories include Hispanic  
 -- | Data suppressed § | Other includes Multi-Racial and Two or More Races † | American Indian includes Native Alaskan

## ACCESS TO CARE






Children with health insurance are better able to access preventive health care services that can reduce unmet medical and prescription needs.<sup>5</sup> For children in low-income homes, public health insurance through Medicaid and NC Health Choice puts otherwise unaffordable or unavailable services within reach. The percent of uninsured low-income children (5.6%) continues to decline, falling 43% in North Carolina between 2012 and 2016.



**HISPANIC & AMERICAN INDIAN**  
**PARENTS**  
**ARE LESS**  
**LIKELY**  
to have health insurance coverage than other races

- Medicaid, NC Health Choice, and the Affordable Care Act have led to gains in health insurance coverage for North Carolina. The expansion of enrollment processes, greater outreach, and increased coverage for parents have contributed to near total (96%) health insurance coverage for children in North Carolina. In addition, more parents in North Carolina have insurance. This can lead to greater economic security, as adults without insurance are more likely to have difficulty paying for basic items such as food, rent, or utility bills.<sup>6</sup>
- There is one school nurse for every 1,072 children in North Carolina public schools. While this ratio has improved, North Carolina still falls short of meeting the Centers for Disease Control and Prevention recommendation of one nurse for every 750 students in order to adequately meet the health and safety needs of children and school communities.<sup>7</sup> School nurses are a particularly vital resource for students living in poverty, who often face barriers to traditional health care access and who may have no other support to manage chronic conditions or receive preventive care.

# SECURE HOMES AND NEIGHBORHOODS

GRADE	Current	Base	Change Over Time	African American or Black	American Indian	Asian	Hispanic or Latinx	Other	White	
 <b>Family Involvement</b>	<sup>2016</sup> 41.4%	<sup>2011-12</sup> 44.3%	-6.5%	49.7%	NA	NA	21.8%	29.6%	46.2%	
	Family reads to children (ages 0-5) everyday									
	72.0%	79.6%	-9.0%	68.2%	NA	NA	70.5%	70.6%	74.6%	
Families who eat meals together four or more times per week										
 <b>Housing and Economic Security</b>	<sup>2016</sup> 46.0%	<sup>2012</sup> 51.0%	-9.8%	64.0%*	--	29.0%*‡	71.0%	48.0%*§	31.0%	
	Children who live in poor or low-income homes (<200% FPL)									
	<sup>2016</sup> 49.2%	<sup>2012</sup> 55.2%	-10.9%	67.1%	73.9%†	28.4%‡	74.7%	87.1%	40.4%	
	Children ages 0-5 who live in poor or low-income homes (<200% FPL)*									
	<sup>2016</sup> 28.0%	<sup>2011</sup> 34.0%	-17.6%	41.0%*	24.0%*	22.0%*‡	38.0%	30.0%*§	20.0%	
Children living in households spending over 30% of income on housing costs										
	<sup>2011-15</sup> 14.0%	<sup>2006-10</sup> 9.0%	55.6%	28.0%*	39.0%*	9.0%*‡	22.0%	14.0%*§	5.0%	
Children who live in high-poverty neighborhoods										
 <b>Environmental Health</b>	<sup>2013-14</sup> 17.9%	<sup>2009</sup> 15.5%	15.5%	28.8%*	NA	NA	NA	12.1%*	15.1%*	
	Children who have an asthma diagnosis									
	<sup>2015</sup> 1.9%	<sup>2011</sup> 3.6%	-47.2%	NA	NA	NA	NA	NA	NA	
Children tested with blood lead levels BLLs>5ug/dl										
 <b>Child Abuse and Neglect</b>	<sup>SFY 2016</sup> 5.6%	<sup>SFY 2012</sup> 5.9%	-5.1	8.6%*	8.1%*†	NA	4.2%	5.8%*	4.7%*	
	Children who are investigated for child abuse or neglect									
	<sup>2016</sup> 28	<sup>2012</sup> 28	0%	14	NA	NA	NA	NA	14	
Child abuse homicides										
 <b>Children in Out-of-Home Care</b>	<sup>SFY 2016</sup> 0.7%	<sup>SFY 2012</sup> 0.6%	16.7%	1.0%*	1.5%*†	NA	0.4%	0.6%*	0.6%*	
	Percent of NC children in foster care									
	<sup>SFY 2016</sup> 65.2%	<sup>SFY 2012</sup> 69.1%	-5.6%	62.6%*	83.2%*†	NA	NA	61.2%*	66.2%*	
Percent children who exit to permanency within 24 months										

## KEY

NA | Data are not available  
-- | Data suppressed

‡ | Asian includes Hawaiian/Pacific Islander  
§ | Other includes Multi-Racial and Two or More Races


\* | Race categories include Hispanic  
† | American Indian includes Native Alaskan




# SECURE HOMES AND NEIGHBORHOODS

Early childhood experiences have a significant impact on health, educational achievement, and financial security. Adverse childhood experiences, such as abuse, neglect, or poverty can negatively affect brain development and increase risk for physical and behavioral health problems later in life. Providing children with safe and stable homes, relationships, and environments can protect against the impact of adverse childhood experiences, improve health, and generate increased financial security.<sup>8</sup>





- In North Carolina, many families also have a high housing burden: one-third of children live in households spending over 30% of their income on housing costs, and African American and Hispanic children are more likely to live in households with high housing costs. Higher housing costs can lead to difficulties accessing health insurance coverage and healthy foods, both of which can impact children’s health outcomes.
- More than 1 in 4 African American children in North Carolina has been diagnosed with asthma. Overall in North Carolina, rates of childhood asthma have risen in recent years. Kids in low-income homes have higher rates of childhood asthma and are more likely to be exposed to environmental triggers such as cockroaches and mold.<sup>9</sup> If poorly controlled, asthma can impact children’s attendance at school and lead to parents missing work to care for their children and take them to the doctor.<sup>10</sup>



**North Carolina Resident Child Death Rates, by Type of Death, Age 0-17**



# HEALTH RISK FACTORS

GRADE	Current	Base	Change Over Time	African American or Black	American Indian	Asian	Hispanic or Latinx	Other	White
<b>Education</b>									
	High school students who graduate on time	<sup>SY 2016-17</sup> 86.5%	<sup>SY 2013-14</sup> 82.5%	4.8%	83.9%	84.3%	93.8%	80.5%	84.0%§ 89.3%
	Third grade students reading at grade-level	<sup>SY 2016-17</sup> 57.8%	<sup>SY 2012-13</sup> 60.2%	-4.0%	40.9%	42.3%	76.4%	42.6%	62.1%§ 71.9%
<b>Healthy Eating and Active Living</b>									
	Children who live in food-insecure households	<sup>2015</sup> 22.6%	<sup>2012</sup> 26.7%	-15.4%	NA	NA	NA	NA	NA
	Children who meet recommended guidelines for physical activity	<sup>2016</sup> 23.3%	<sup>2012</sup> 31.6%	-26.3%	23.0%	NA	NA	15.7%	25.8% 25.4%
	Children ages 10-17 who are overweight or obese	<sup>2016</sup> 30.9%	<sup>2011-12</sup> 31.4%	-1.6%	40.2%	NA	NA	46.1%	18.0% 23.5%
<b>Tobacco, Alcohol, and Substance Use</b>									
	<i>High school students who currently use:</i> Cigarettes	<sup>2015</sup> 13.1%	<sup>2011</sup> 17.7%	-26.0%	10.8%	--	3.8%	14.9%	9.2%§ 14.6%
	Electronic vapor products	29.6%	NA		27.9%	--	7.7%	29.8%	22.9%§ 31.3%
	Marijuana	22.3%	24.2%	-7.9%	27.9%	--	4.4%	22.4%	24.7%§ 19.9%
	Alcohol (including beer)	29.2%	34.3%	-14.9%	25.2%	--	10.4%	24.2%	25.3%§ 32.9%
	<i>High school students who have ever used:</i> Prescription Drugs without a doctor's prescription	17.9%	20.4%	-12.3%	15.8%	--	8.4%	14.1%	21.9%§ 19.5%
<b>Mental Health</b>									
	High school students who attempted suicide in the past year	<sup>2015</sup> 9.3%	<sup>2011</sup> 5.0%	86.0%	13.6%	NA	3.4%	14.0%	21.6% 5.5%
	Past -year major depressive episode among adolescents ages 12-17	<sup>2014-15</sup> 12.3%	<sup>2011-12</sup> 8.1%	51.9%	NA	NA	NA	NA	NA
	Adolescents ages 12-17 with major depressive episode who received treatment for depression	<sup>2011-15</sup> 40.5%	<sup>2008-2012</sup> 36.0%	12.5%	NA	NA	NA	NA	NA

## KEY


NA | Data are not available  
-- | Data suppressed

‡ | Asian includes Hawaiian/Pacific Islander  
§ | Other includes Multi-Racial and Two or More Races

\* | Race categories include Hispanic  
† | American Indian includes Native Alaskan

# HEALTH RISK FACTORS

Education has a significant impact on children's future health and economic success. In North Carolina, only 57.8% of third grade students are reading at grade level. Kids who achieve academic success in the early years of school are more likely to graduate from high school ready for college or the workforce, and grow to be healthy, productive adults. However, the four-year graduation rate continues to increase, contributing to a strong foundation for improved financial security and better health outcomes for our state. Racial disparities in graduation rates remain, and students from low-income households are less likely to graduate on time.<sup>12</sup>



- Rates of depression have continued to rise among adolescents, and nearly one in ten North Carolina high school students attempted suicide in 2015. Adolescents and young adults in North Carolina have higher rates of self-inflicted injury hospitalizations and emergency room visits than any other age groups.<sup>13</sup>
- Fewer than one in four children in North Carolina are physically active for at least an hour a day. Meeting the recommended guidelines for physical activity reduces risk of obesity, diabetes, and depression, and promotes lifelong health.<sup>14</sup> While there are racial disparities in levels of obesity, research has shown that family income is a greater predictor of overweight and obesity, as children living in low income homes and/or high poverty neighborhoods have less access to safe places to play and full service grocery stores.<sup>15</sup>



**NC  
Child**  
www.ncchild.org

3101 Poplarwood Court  
Suite 300  
Raleigh, NC 27604  
www.ncchild.org  
919.834.6623



@ncchildorg



@ncchild

---

**Michelle Hughes**, Executive Director  
**Whitney Tucker**, Research Director  
**Latoya Beatty**, 2017-2018 Research and Policy Fellow  
**Rob Thompson**, Deputy Director



630 Davis Drive, Suite 100  
Morrisville, NC 27560  
www.nciom.org  
919.445.6500



@nciom



@ncinstituteofmedicine

---

**Michelle Ries**, Project Director  
**Anne Foglia**, Project Director  
**Maggie Bailey**, Research Assistant  
**Chloe' Louderback**, Graphic Designer  
**Berkeley Yorkery**, Associate Director  
**Adam Zolotor**, President and CEO

This project was supported by the Annie E. Casey Foundation, and the Blue Cross and Blue Shield of North Carolina Foundation. NC Child and The North Carolina Institute of Medicine thank our supporters and acknowledge that the findings and conclusions do not necessarily reflect the opinions of financial supporters.



**BlueCross BlueShield  
of North Carolina**

**Foundation**

An independent licensee of the Blue Cross and Blue Shield Association