

APPENDIX C

DETAILED COMMUNITY SESSION INPUT



The NCIOM scheduled eight Community Input Sessions throughout North Carolina from February 27 to April 9, 2019 to collect input on a narrowed list of potential health indicators under consideration for Healthy North Carolina 2030. At each meeting, participants were given work sheets for each of the topic areas – Social & Economic Factors, Physical Environment, Health Behaviors, and Clinical Care – to rank for importance in their communities. The NCIOM team revised the list of indicators during this process to account for common feedback about missing indicators. Below is a summary of the ranking of indicators in each section.

TABLE 1

Community Session Input on Social & Economic Factors

HEALTH INDICATOR	Ranking of Indicators by Area of North Carolina* (Number of Participants)								AVERAGE RANK [^]
	GREENVILLE (112)	HENDERSON (25)	PEMBROKE (32)	JACKSONVILLE (17)	CHARLOTTE (56)	GREENSBORO (21)	CHEROKEE (29)	MARION (39)	
Families at or below 200% FPL	1	2	1	1	2	1	1	1	1.3
Adverse Childhood Experiences	2	1	2	2	4	3	2	2	2.3
Unemployment	3	6	3	4	1	2	5	5	3.6
Children in low-income homes ^A	4	3	4	N/A	N/A	N/A	N/A	N/A	3.7
Income inequality	5	5	6	5	3	5	4	4	4.6
Children investigated for abuse ^B	N/A	N/A	N/A	3	9	8	3	3	5.2
Fourth grade reading	6	4	5	8	8	4	6	6	5.9
High school graduation rate	8	7	8	7	6	6	7	7	7.0
Disconnected youth	9	8	7	9	12	11	8	8	9.0
Incarceration rate	11	9	9	10	7	12	9	9	9.5
Residential segregation	10	10	12	11	5	7	12	10	9.6
Emergency department visits for violence ^C	7	12	10	N/A	N/A	N/A	N/A	N/A	9.8
Violent crime rate ^D	N/A	N/A	N/A	6	10	10	11	12	9.8
Short-term suspension rate	12	11	11	12	11	9	10	11	10.9

N/A=Not Applicable; FPL=Federal Poverty Level | *Rank of 1 for most important. | ^Average of rankings across 8 meetings (or fewer if indicator only discussed in first three or last five meetings).

A This indicator was eliminated after the third meeting due to confusion with Families at or below 200% FPL. | B This indicator was added at the fourth meeting to replace "children in low-income homes."

C This indicator was eliminated after the third meeting due to community interest in discussing violent crime rate. | D This indicator was added at the fourth meeting to replace "emergency department visits for violence."

TABLE 2

Community Session Input on Physical Environment

HEALTH INDICATOR	Ranking of Indicators by Area of North Carolina* (Number of Participants)								
	GREENVILLE (113)	HENDERSON (25)	PEMBROKE (31)	JACKSONVILLE (17)	CHARLOTTE (56)	GREENSBORO (21)	CHEROKEE (29)	MARION (39)	AVERAGE RANK [^]
Food environment index	1	1	2	1	2	1	2	1	1.4
Housing cost burden	2	3	3	3	1	3	1	2	2.3
Housing quality problems	3	2	1	2	3	2	4	4	2.6
Access to public transportation ^A	N/A	N/A	N/A	5	4	4	3	3	3.8
Community water safety ^B	N/A	N/A	N/A	4	5	5	7	5	5.2
Access to exercise opportunities	4	4	4	7	6	6	5	6	5.3
Blood lead levels ^C	6	5	6	N/A	N/A	N/A	N/A	N/A	5.7
Air pollution	5	6	5	8	7	7	8	7	6.6
Asthma-related emergency department visits ^D	N/A	N/A	N/A	6	8	8	6	8	7.2

N/A=Not Applicable; FPL=Federal Poverty Level | *Rank of 1 for most important. | ^Average of rankings across 8 meetings (or fewer if indicator only discussed in first three or last five meetings).

A This indicator was added at the fourth meeting due to community interest in discussing public transportation | B This indicator was added at the fourth meeting due to community interest in discussing community water safety.

C This indicator was eliminated after the third meeting due to limited interest. | D This indicator was added at the fourth meeting due to oversight of inclusion for first three meetings.

TABLE 3

Community Session Input on Health Behaviors

HEALTH INDICATOR	Ranking of Indicators by Area of North Carolina* (Number of Participants)								
	GREENVILLE (117)	HENDERSON (24)	PEMBROKE (29)	JACKSONVILLE (17)	CHARLOTTE (56)	GREENSBORO (21)	CHEROKEE (29)	MARION (39)	AVERAGE RANK [^]
Youth tobacco use	1	1	2	4	1	1	1	2	1.6
Illicit drug use ^A	N/A	N/A	N/A	1	3	3	2	1	2.0
Physical activity	3	2	1	2	2	2	3	3	2.3
Unintentional poisoning deaths ^B	2	4	7	N/A	N/A	N/A	N/A	N/A	4.3
Teen birth rate	4	3	3	3	6	5	7	5	4.5
Adult smoking	5	8	4	11	7	4	5	6	6.3
Excessive drinking	7	7	5	5	9	6	6	7	6.5
Unintended pregnancy ^C	N/A	N/A	N/A	6	4	7	9	8	6.8
Smoking during pregnancy	6	5	6	8	10	8	4	9	7.0
Sugar-sweetened beverage consumption ^C	N/A	N/A	N/A	10	5	10	8	4	7.4
HIV diagnosis	9	6	9	7	8	9	11	12	8.9
Breastfeeding	8	9	8	9	11	11	10	11	9.6
Deaths due to falls	10	10	10	12	12	12	12	10	11.0

N/A=Not Applicable; FPL=Federal Poverty Level | *Rank of 1 for most important. | ^Average of rankings across 8 meetings (or fewer if indicator only discussed in first three or last five meetings).

A This indicator was added at the fourth meeting to replace "unintentional poisoning deaths." | B This indicator was eliminated after the third meeting and replaced with "illicit drug use."

C This indicator was added at the fourth meeting due to oversight of inclusion for first three meetings.

TABLE 4

Community Session Input on Clinical Care

HEALTH INDICATOR	Ranking of Indicators by Area of North Carolina* (Number of Participants)								AVERAGE RANK [^]
	GREENVILLE (116)	HENDERSON (25)	PEMBROKE (32)	JACKSONVILLE (17)	CHARLOTTE (56)	GREENSBORO (21)	CHEROKEE (29)	MARION (39)	
Uninsured	1	1	1	1	1	1	1	1	1.0
Mental health emergency department visits	2	2	2	2	2	3	2	2	2.1
Early prenatal care	4	3	3	3	3	5	3	3	3.4
Routine checkup	6	4	5	4	4	2	6	5	4.5
Primary care physicians	3	5	6	5	7	6	4	4	5.0
Heart disease mortality	5	6	4	6	5	4	5	7	5.3
Suicide ^A	N/A	N/A	N/A	N/A	6	7	7	6	6.5
School nurse ratio	7	7	8	7	8	8	9	8	7.6
Vaccinations	8	8	7	8	9	9	8	9	8.3

*N/A=Not Applicable; FPL=Federal Poverty Level | *Rank of 1 for most important. | ^Average of rankings across 8 meetings (or fewer if indicator only discussed in first three or last five meetings).
 A This indicator was added at the fifth meeting as an additional measure related to mental health.*